



120m Sight distance triangle at a point 3m back from the public road edge, Indicated in Green.
 All Trees / Hedging in this Zone must be maintained and below 1m in height to maintain sight lines.

Sight Lines
 Not to Scale

REVISION	DATE	BY	DETAILS
C	06/22	DA	Site Layout & Services Updated
B	07/22	DA	Floor Levels raised on House no. 13-28 Pool/Store connections updated
A	07/22	DA	Issued for Planning

THIS DRAWING IS COPYRIGHT O'SHEA LEADER CONSULTING ENGINEERS LTD. All dimensions and levels are indicated. All dimensions are in millimeters unless otherwise stated. All dimensions are to be checked on site prior to fabrication or construction. All work is to be in accordance with Current Building Regulations and Codes of Practice. Where this drawing is used to produce a contract, the contractor shall be responsible for ensuring compliance with Building Regulations and Codes of Practice. Where this drawing is used to produce a contract, the contractor shall be responsible for ensuring compliance with Building Regulations and Codes of Practice. Where this drawing is used to produce a contract, the contractor shall be responsible for ensuring compliance with Building Regulations and Codes of Practice.

Drawn By: DA
 Approved By: DB
 Date: 15/12/21
 Project: Planning
 Scale: Not to Scale
 Rev: C

O'Shea Leader Consulting Engineers Ltd
 38 Eastgate BusPk, Little Island, Cork
 Tel: +353 (0)21 4316929 Fax: +353 (0)21 4316931
 e-mail: info@osle.ie

OSL
 21082 - GA - 16
 Phase 4 - Ballincroig, Dublin Pike, Co. Cork
 Sight Lines